

National Aeronautics and Space Administration




Issue  
#2

5<sup>th</sup> EDITION

# ASTROBIOLOGY

The Story of our Search for Life in the Universe



Produced by the NASA  
Astrobiology Program to  
commemorate 50 years of  
Exobiology and Astrobiology  
at NASA.

[www.nasa.gov](http://www.nasa.gov)

# Astrobiology

## A History of Exobiology and Astrobiology at NASA

This is the story of life in the Universe—or at least the story as we know it so far. As scientists, we strive to understand the environment in which we live and how life relates to this environment. As astrobiologists, we study an environment that includes not just the Earth, but the entire Universe in which we live.

The year 2010 marked 50 years of Exobiology and Astrobiology research at the National Aeronautics and Space Administration (NASA). To celebrate, the Astrobiology Program commissioned this graphic history. It tells the story of some of the most important people and events that have shaped the science of Exobiology and Astrobiology. At now over 60 years old, this field is still relatively young. However, as you will see, the questions that astrobiologists are trying to answer are as old as humankind.

### Concept & Story

Mary Voytek  
Linda Billings  
Aaron L. Gronstal

### Artwork

Aaron L. Gronstal

### Script

Aaron L. Gronstal and Leslie Mullen

### Editor

Linda Billings

### Layout

Jenny Mottar








Special thanks to Daniella Scalice and Michael Meyer

2021, NASA Astrobiology Program

Fifth Edition

First edition printed in 2011

## Issue #2—Missions to Mars



The year 2010 marked the 50th anniversary of NASA's Exobiology Program, established in 1960 and expanded into a broader Astrobiology Program in the 1990s. To commemorate the past half century of research, we are telling the story of how this field developed and how the search for life elsewhere became a key component of NASA's science strategy for exploring space. This issue is the second in what we intend to be a series of graphic history books. Though not comprehensive, the series has been conceived to highlight key moments and key people in the field as it explains how Astrobiology came to be.

-Linda Billings, Editor

Astrobiology, the study of life's origin, evolution, and distribution in the Universe, has been a key part of NASA's research since the agency began. When NASA first launched missions into Earth orbit and beyond, Astrobiology was ready for the ride!

## Issue 2—Missions to Mars.



NASA has explored many places in the Solar System, but one destination has been particularly important to Exobiology and Astrobiology—Mars.

When the space age began, Mars was a complete mystery. Now we know the planet may have been more Earth-like in its past. Astrobiologists wonder, what was ancient Mars like? Long ago, could Mars have supported life as we know it?

The history of missions to Mars is full of struggle and triumph. Mars is a dangerous and difficult planet to visit. The extreme environment of the planet includes frigid temperatures, damaging dust storms, low gravity, and a thin atmosphere. Many missions to Mars have ended in failure, but the missions that were successful have provided fascinating evidence of Mars' potential habitability.

The year 2010 marked half a century of Exobiology and Astrobiology research at NASA. In 2011, a new era of Astrobiology research in Mars exploration began with the launch of NASA's **Mars Science Laboratory**. Today, NASA and other agencies around the world are building and launching new missions to explore the red planet.


But first... let's take a closer look at Mars' role in the early history of Exobiology and Astrobiology.

Background Image:  
Globular Cluster (1)

NASA's new Exobiology program, established in 1960 (see Issue 1), attracted a host of talented scientists.

Harold "Chuck" Klein (1921-2001), First head of the Exobiology Division, NASA Ames Research Center. (2)

Leonard "Pete" Zill (1920-1993), Third head of Exobiology at NASA Ames. (3)




"When I got [to NASA Ames]... there were only two people in the Life Sciences, Dick Young and Vance Oyama. My intention was to stay for one year and then hopefully get back to Berkeley. But on the second day, Dick Young said..." (4)

"Why don't you stay and set up a lab for the study of the origin of life?" (2)

"And that's what we did immediately" (2)


Richard "Dick" Young (1943-2013), Second head of Exobiology at NASA Ames; first head of the Exobiology Program at NASA Headquarters) (5)



Vance Oyama (1922-1998), NASA Ames biologist. (6)

Cyril Ponnampetuma (1923-1994). Arrived at NASA Ames in the first class of postdoctoral fellows (summer 1961). (7) (8)


NASA forged ahead with the lunar program and built facilities for analyzing space material such as lunar samples and meteorites...



Ranger 9 (1965)

...but exobiologists also had their sights set on our closest planetary neighbors—Venus and Mars.

NASA's Mariner program had its first success with Mariner 2 in 1962. Mariner 2 provided our first close-up view of Venus, a planet that some scientists believed could support life. (9)



On July 14, 1965, Mariner 4 became the first spacecraft to get a close look at Mars, identifying geological signs that water may have flowed on the planet's surface long ago.

"More may be added to man's knowledge of the planet Venus than has been gained in all the thousands of years of recorded history."\* (10)



(11)

(12)

\*NASA administrator, James Webb, speaking on the success of Mariner 2.


Mariner 5 (1967) turned back to Venus. Observations of its harsh environment by Mariners 2 and 5 helped solidify the idea that Mars was a better place to hunt for life.

Our vision of Mars began to evolve with Mariners 6 and 7 (1969). These two spacecraft mapped 20% of the martian surface and provided detailed images of many of the planet's unique features.

Mariner 9 (1971) was the first spacecraft to enter orbit around another planet. The mission truly unveiled Mars, mapping 80% of the surface. Mariner 9 returned the first images of landmarks such as *Valles Marineris*, the vast canyon named in the spacecraft's honor.

The program's final mission, Mariner 10 (1973), didn't visit Mars, but it demonstrated techniques that would be used in many space missions to follow. Mariner 10 was the first spacecraft to visit multiple planets, and the first to use the *gravitational assist* of one planet (Venus) to build up enough speed to visit a second (Mercury).

The Soviet Union also set its sights on Mars with the Mars 2 (1971), Mars 3 (1971), and Mars 5 (1973) missions. Each suffered difficulties, but collected data about the planet's surface and atmospheric conditions. (20)



As early as 1959, NASA was developing instruments for detecting life. Mars quickly topped the list of places where NASA could put this technology to use. The early focus on Mars led to a major milestone in the history of Exobiology and Astrobiology.



NASA launched an ambitious planetary exploration endeavor in 1975 — the twin Viking missions.

Viking 1 and Viking 2 each had a lander and an orbiter that were sent to Mars.

Each lander carried 14 experiments, including a set of investigations specifically designed to search for evidence of martian life.

"As one whose childhood was illuminated by the writings of Jules Verne and Olaf Stapledon, I was delighted to have the chance of discussing at first hand the plans for investigating Mars." (4)

In 1961, NASA officials invited British scientist James Lovelock, an expert in life detection technology, to work with the U.S. space program. He had many ideas for life detection experiments and worked on early designs for a Mars probe in 1965.



Lovelock had interesting ideas about searching for life based on biological reactions that cells perform, rather than identifying physical structures such as DNA in cells.


"We must concentrate on concepts that are not 'Earthcentric.' We ought to look for entropy-reduction phenomena." (8)

Lovelock viewed the planet Earth as a complete living system, and began to discuss these ideas with Carl Sagan, Dian Hitchcock and Norman Horowitz, then head of the Biology Division at NASA's Jet Propulsion Laboratory (JPL). (4)


I think I know some people you should meet...

But Lovelock's groundbreaking theories are a story for another time...






Lovelock's work with NASA helped define Viking's life detection experiments. These experiments were designed to cultivate microorganisms (should there be any) in martian soil samples by introducing water and measuring signs of growth.




"CO<sub>2</sub> was [the major] component [in Mars' atmosphere], with only a trace of water vapor. That discovery gave me and my collaborators, George Hobby and Jerry Hubbard, the impetus to design an instrument that would search for life on a dry planet. That instrument was the pyrolytic release experiment." (4)



Horowitz's new understanding of Mars led him and his colleagues to search for life and test Viking's equipment in similarly inhospitable environments on Earth, such as the Dry Valleys of Antarctica and Chile's Atacama Desert.



Scientists such as Gil Levin and Wolf Vishniac began to test their Viking life detection experiments on soils from the Antarctic Dry Valleys. Vishniac detected microbial life in soils that Horowitz and his colleagues thought were sterile, making the questions about life's potential on Mars even more complicated.



So before Viking even launched, the mission spurred research about life on Earth. Scientists worked hard to develop a basic definition of "life" so that they knew what to look for on Mars. (4)



"The fact is that nothing we have learned about Mars, in contrast to Venus, excludes it as a possible abode of life..."

...It is certainly true that no terrestrial species could survive under average martian conditions as we know them, except in a dormant state, but if we admit the possibility that Mars once had a more favorable climate which was gradually transformed to the severe one we find there today...

...and if we accept the possibility that life arose on the planet during this earlier epoch, then we cannot exclude the possibility that martian life succeeded in adapting itself to the changing conditions and survives there still." (21)

"It is not optimism about the outcome that gives impetus to the search for extraterrestrial life. Rather, it is the immense importance that a positive result would have." (21)

In December 1969, NASA selected experiments. They included Horowitz's pyrolytic release experiment, Levin's labeled release experiment, Vishniac's 'Wolf Trap' (later removed) and Oyama's gas exchange experiment.

The life detection experiments were fitted into a single package for the landers, which also carried miniaturized GC/MSs\* to separate and identify organic compounds by molecular weight.

"[Identifying organic compounds] seemed important..." because we hoped that the nature of Martian organic molecules would provide a sensitive indicator of the chemical and physical environment in which they formed.

Furthermore, we hoped that the details of their structures would indicate which of many possible biotic and abiotic syntheses are occurring on Mars." (4)

Even if the biology experiments showed negative results, the GC/MS could find organic molecules that proved cells might be in the samples.

"I consider [the GC/MS] the most important instrument on Viking." (4)

\*Gas Chromatograph/  
Mass Spectrometers

On July 20, 1976—seven years after the Apollo 11 lunar landing—the Viking 1 lander touched down on the flat, martian plain of *Chryse Planitia*.




To prevent contamination of Mars, the Viking Landers were assembled in a special clean room, baked in dry heat to kill any microorganisms, and kept in isolation until landing on Mars.

Cameras on the lander revealed a surface far different—and far more familiar—than that of the Moon. On July 28, the lander's mechanical arm scooped samples into the instruments.



On September 3rd, Viking 2 landed halfway around the planet on the plain of *Utopia*.



The world watched as results began to pour in from the Viking experiments.

All of the biology experiments showed evidence of activity in the samples after the very first test. The pyrolytic release experiment gave one reading consistent with photosynthesis occurring, but the initial result couldn't be repeated. The gas release experiment showed oxygen released from the Mars soil—but many scientists thought the results looked more like a chemical reaction than a biological reaction.

"This is just an incredible scene..." (22)

"A new reality was created. Mars became a place. It went from a word, an abstract thought, to a real place." (4)


(23)

Thomas Mutch, head of the Viking surface photography team.

Gerald Soffen, Viking Project Manager

The labeled release experiment showed the strongest results, detecting  $CO_2$  that might have been released by the metabolism of microorganisms. The GC/MS experiment, however, indicated that no organics were present on Mars.

The results were unexpected... and confusing.



"That's the ball game. No organics on Mars, no life on Mars." (4)

The scientists had to work quickly. The world was watching the scientific process in action, and the press and public were hungry for information. The researchers found themselves working under constant pressure and scrutiny.



"Having to work in a fishbowl like this is an experience that none of us is used to." (4)

Some scientists argued that chemistry could explain the results of the Viking experiments, while others believed there was a chance for life on Mars.




More scientists began to examine the results, and with each new test more questions were raised. Some results could be interpreted as "chemical"... and some as "biological."



By 1979, many scientists concluded that a chemical explanation for the results was the most likely. (24) The debate would continue, however, as new missions returned more detailed information about the environment of Mars.

"Some people thought life was more likely than other people thought, but I think what bound us together was the importance of the question, including the importance of negative answers." (4)






On November 7, 1996, NASA launched the Mars Global Surveyor (MGS). Some of the instruments that MGS carried were originally designed for the failed Mars Observer.

MGS was a success!


The mission returned data that covered the entire martian surface and helped astrobiologists learn more about the role of water and dust on Mars.




Viking proved that we didn't yet know enough about life on Earth to search for signs of life on another planet. Instead, scientists decided to study the environment of Mars, both past and present, to determine if the planet was ever habitable for life as we know it.



A key requirement for life on Earth is liquid water—so the search for life in the Solar System focused on searching for environments where liquid water is (or was) present.




The MGS camera recorded weather patterns and discovered gullies and debris flows, suggesting that liquid water sources were once present at or near the surface of Mars.




For instance, MGS images from 2004 and 2005 were used to identify the formation of new gully deposits in the *Centauri Montes* region. These deposits look like they could have been made by running water... meaning liquid water might still flow on Mars today. (27)

In 1997, NASA launched Pathfinder. Unlike Viking, this mission did not carry instruments to search for life.

Pathfinder did, however, demonstrate that a low-cost mission to Mars was possible. Pathfinder tested important technologies for future visits to the red planet, including...






...airbag-assisted landing.


The mission focused on geology...

...but many of the lessons learned were valuable to astrobiologists.



"The Pathfinder science results hinted at a warmer and wetter past for Mars."  
-Matthew Golombek, Pathfinder project scientist (28)


Among other things, the Pathfinder rover discovered round pebbles that looked as if they had been shaped by running water on the surface long ago.



This finding was evidence that Mars was once warm enough for liquid water to exist—maybe even for long periods of time. Even if Mars has no life today, maybe the planet could have supported life in its past...

Golombek: "In cases like Pathfinder, taking a little risk can result in an enormous payoff." (28)

On July 3, 1998, Japan became the next country to attempt a visit to Mars. The Nozomi spacecraft was designed to capture images of Mars' surface and to study the martian atmosphere and its interaction with the solar wind.




Nozomi failed to enter orbit around Mars, but kept orbiting the Sun so that it could try again in 2003.



However, when Nozomi approached the Earth for a gravity assist in April of 2002, the spacecraft was damaged by powerful solar flares. In December 2003, the mission was abandoned, and Nozomi changed course to avoid a collision with Mars.

NASA's next visits to Mars were also fraught with difficulty. First was the Mars Climate Orbiter, which was designed to search for evidence of past climate change on Mars.


When the spacecraft reached Mars, it entered an orbit too close to the planet and atmospheric stresses tore it apart.



Next, the Mars Polar Lander tried to land in the southern *Planum Australe* region, near the carbon dioxide ice cap at the martian south pole.

The lander was going to analyze polar deposits and soil samples for the presence of water ice.


NASA lost contact with the spacecraft as it began its treacherous descent toward Mars.



A success finally came on October 24, 2001, with NASA's 2001 Mars Odyssey mission. It's now the longest-lived mission to study a planet other than Earth from orbit.


Odyssey's maps of hydrogen in particular helped scientists discover vast amounts of water ice just beneath the surface at Mars' poles.

Odyssey has mapped the chemical elements and minerals that make up the martian surface, providing essential information about the martian environment and the potential for past or present life on the planet.




(29)

Odyssey has also recorded radiation levels on Mars in order to determine the potential risks to future human explorers.



(30)



(31)

Today, Odyssey is still mapping martian minerals and is now part of a communications relay that allows scientists to 'talk' with other Mars missions. Odyssey is sure to play an important role in the future exploration of Mars.

On June 2, 2003, the European Space Agency (ESA) launched the Mars Express mission, adding to the international community of robotic explorers at Mars.



"Mars Express is the first fully European mission to any planet. It is an exciting challenge for European technology." - Rudi Schmidt, Mars Express Project Manager (32)

Mars Express was designed to re-launch some instruments that were lost on the Russian Mars 96 mission. (33) One of its primary goals was to determine what happened to the water that once flowed on the planet's surface.




The mission also carried the Beagle 2 lander, which was the first mission since Viking designed specifically to look for evidence of past or present life.



"The Beagle 2 project was based on martian meteorite studies. I think the real thing that is driving us back to wanting to look at whether there is life on Mars...




Colin Pillinger, Beagle 2 Chief Scientist.



... is something that Viking did that nobody anticipated, nobody planned. It was that they were able to show that we have martian meteorites on Earth." (33)


Mars Express was a huge success and continues to return valuable data. (34) The orbiter has captured images of craters, volcanoes and other features in high resolution.



Mars Express has also identified mysterious evidence of methane gas in the atmosphere of Mars. Some scientists believe that this methane may be produced by living organisms beneath the martian surface.

Unfortunately, the Beagle 2 lander was lost during its descent toward Mars.

Mission scientists scoured images taken by orbiters for any sign of Beagle 2...



...but eventually Beagle 2 was declared lost.

Mark Sims, Beagle 2 Mission Manager



In 2003, NASA launched another tremendously successful mission to Mars—the twin Mars Exploration Rovers. After landing on Mars in January of 2004, the Mars Exploration Rovers Spirit and Opportunity had many adventures.



Spirit landed three weeks before Opportunity on a broad plain in Mars' Gusev crater. Spirit discovered that most of Gusev's geology is volcanic in origin, although the rover did eventually find some evidence of past liquid water.

On the other side of the planet, Opportunity had a "hole in one" landing, bouncing across the flat Meridiani Plains directly into tiny Eagle crater.

Opportunity's first image from Mars was of the crater's wall, a cross-section punched through the martian surface eons ago by a meteorite. This outcropping allowed the rover to see many years of geologic history in one glance.


Some rocks in Eagle crater had odd, round balls that scientists nicknamed "blueberries."

Opportunity traveled many kilometers beyond its landing site inside Eagle crater.


The rover discovered that they were spheres of hematite. Geologists say the hematite most likely formed long ago as a result of water-saturated soil.

It viewed wispy martian clouds, providing scientists with images of martian weather from the ground.

(37)



The MER rovers made good use of their rock abrasion tools, or RATs...




Both rovers became mired in fine, loose soil at different times. To avoid getting stuck, the rovers had to be moved only centimeters at a time over several weeks.

Sometimes the hazardous soil provided welcome surprises.


...allowing scientists to see what lay hidden beneath Mars' hard, exposed surfaces.

Spirit's wheels churned up salts when driving through one such area—the same kind of salts that form on Earth when hot springs mix with volcanic rock.




The MER rovers also encountered dust devils, mini tornadoes that sweep across the martian surface.

Dust devils can't lift a rover, but they did sweep dust from the solar panels. This helped keep the rovers powered and operating well beyond their mission lifetime of 3 months.




Opportunity continued to clock astonishing distances across the surface of Mars, turning up many unexpected discoveries...

...like fallen meteorites resting on the vast Meridiani Planum.



Opportunity even dared to venture down the steep walls of Endeavor crater.


It was a dangerous trip, and many people thought there would be no return.



But inside the crater was a massive wall of exposed rock that could provide many clues about the ancient history of Mars' climate. The mission team decided the risk was worth it.

Opportunity did make it safely out of Endeavor to continue its mission. Spirit fell silent in the spring of 2010.

On August 12, 2005, NASA added the Mars Reconnaissance Orbiter (MRO) to the network of martian missions.



MRO was loaded with powerful instruments, including a shallow radar to 'look' under the surface of Mars.

MRO's images helped scientists choose routes for the MER rovers to drive, and to select landing sites for future missions.


MRO is studying whether or not liquid water was present on the surface for long periods of time. (38) Other missions found evidence of flowing water, but was it around long enough for life to evolve?

Never before had so many robotic missions been in operation at Mars. Together, they are bringing astrobiologists closer and closer to unlocking the planet's mysteries.

In November of 2006, NASA received the final signal from the Mars Global Surveyor—after the spacecraft's decade of hard work (Page 11). (39)

Glenn Cunningham, MGS manager through development and launch.


"When we watched the launch 10 years ago, we wondered if we would make the specified mission length. We certainly were not thinking of a 10-year operating life." (40)



(41)

Tom Thorpe, project manager for Mars Global Surveyor at JPL.

"It is an extraordinary machine that has done things the designers never envisioned despite a broken wing, a failed gyro and a worn-out reaction wheel. The builders and operating staff can be proud of their legacy of scientific discoveries and key support for subsequent missions." (39)




(42)

After the final bow of MGS, NASA began a new mission based around the failed Mars Polar Lander (see page 13).

On August 4, 2007, the Phoenix Mars Lander launched toward the red planet. ESA's Mars Express later helped track the mission as it made the dangerous journey down to the surface of Mars.


With a successful touchdown on May 25, 2008, Phoenix became the first lander to explore Mars' northern polar region.



Phoenix searched for evidence of past or present water, as well as other chemical elements that may be necessary for life.


(44)

Phoenix set out to answer questions like: "Can the martian arctic support life?" and "What is the history of water at the Phoenix landing site?" (43)




Smooth, bright patches seen beneath the lander were thought to be ice that was uncovered when thruster exhaust blew off loose soil.

Phoenix became the first mission to touch water ice layers underneath the surface when it started digging with its robotic arm.





Clumps of bright material that were spotted in the trenches disappeared over 4 days, implying they were water ice rather than carbon dioxide ice (which would have vaporized faster).



Phoenix also used its arm to scoop soil into its instruments. During the initial heating cycle of one sample, Phoenix's Thermal and Evolved-Gas Analyzer (TEGA) detected water vapor. Phoenix also found calcium carbonate, which suggests the occasional presence of thawed water.

When capturing pictures of one of Phoenix's legs, scientists spotted what appeared to be water droplets that grew over time... liquid water droplets.

This was completely unexpected. Scientists have theorized that liquid water cannot exist on the surface because of Mars' thin atmosphere and frigid temperatures.




Some scientists think that the temperature of Phoenix's leg and the presence of salts may have caused water vapor to condense from the air. (46) The question remains unanswered...

Perchlorate salts could have implications for water on Mars. For instance, in soil above ice, the salts could act as a sponge and might support habitats for life. (49)


Phoenix ceased communications in November 2008 as the martian winter set in. (50) No contact was made after the spring thaw. Orbiting spacecraft showed that Phoenix was crushed by frost accumulation.

Opportunity wasn't alone for long. NASA was already preparing a new Astrobiology mission.



The Mars Science Laboratory (MSL) was the first roving analytical laboratory sent to Mars.

MSL greatly outweighs its rover cousins Pathfinder, Spirit, and Opportunity.



When it launched, the rover's suite of instruments were the biggest and most advanced scientific package ever sent toward the martian surface.

**Chemistry & Camera (ChemCam):** fires a laser to vaporize materials from small areas less than 1 millimeter. ChemCam can vaporize the dust from the surface and analyze the underlying rock. ChemCam can even analyze rocks from a distance.

**Rover Environmental Monitoring Station (REMS):** is a weather monitoring station from the Centro de Astrobiologia (CAB) and contributed by the Spanish government.

**MSL Entry, Descent, and Landing Instrument (MEDLI):** suite collected engineering data during MSL's high-speed entry into the martian atmosphere, providing invaluable data for engineers designing future Mars missions. MEDLI is mounted inside the heatshield that protected MSL during atmospheric entry.

**Mast Camera (MastCam):** takes color images and video of the martian surface.

**Sample Analysis at Mars (SAM):** a spectrometer, gas chromatograph and tunable laser spectrometer. SAM is searching for a range of compounds of carbon, such as methane, that could be associated with life.

**Radiation Assessment Detector (RAD):** is helping to prepare for future human exploration of Mars by measuring high-energy radiation on the martian surface.

**Mars Hand Lens Imager (MAHLI):** takes close-up views of minerals, textures and structures in rocks, debris and dust.

**Dynamic Albedo of Neutrons (DAN):** a pulsing neutron generator that detects water content in ice and minerals, and searches for layers of water and ice up to 2 meters below the surface [funded by the Russian Federal Space Agency].


**Alpha Particle X-Ray Spectrometer (APXS):** measures the chemical elements in rocks and soils and is funded by the Canadian Space Agency.

**Chemistry and Mineralogy instrument (ChemMin):** identifies minerals... in rocks and soil. Minerals form under certain conditions and can thereby help scientists determine past environments on Mars.

**Mars Descent Imager (MARDI):** took color video during MSL's descent to the martian surface, providing an 'astronaut's' view of the terrain for scientists deciding where the rover will drive and explore.


In 2011, mission components for MSL were processed for planetary protection and installed on the Curiosity rover.

With everything packed away for launch, MSL successfully began its journey on November 26, 2011. (51-53).




The MSL rover received its name from a sixth-grade student in Kansas, named Clara Ma. Clara dubbed her, "Curiosity." (54)


The MSL spacecraft safely entered its cruise phase, and Curiosity traveled inside for the eight and a half month journey.




En route, Curiosity used its RAD instrument to study space radiation between the Earth and Mars.



There were massive solar storms in early 2012...



...and Curiosity measured how much radiation future explorers, both robotic and human...




...might endure on a trip to Mars.

"Curiosity is an everlasting flame that burns in everyone's mind." (55)


"RAD was designed to characterize radiation levels on the surface of Mars, but an important secondary objective is measuring the radiation during the almost nine-month journey..." (56)

"Curiosity is the passion that drives us through our everyday lives. We have become explorers and scientists with our need to ask questions and to wonder." (55)"



Don Hassler, RAD Principal Investigator

The radiation was no real hurdle for Curiosity. The real challenge came during its arrival at Mars...




... seven minutes of terror before touching down on the surface!

(57)

The descent stage took Curiosity into the martian atmosphere.


With its heat shield as protection, the craft plowed through the atmosphere!




At roughly 240 seconds, a parachute was released!




The rover then drifted down toward its target—the enormous Gale Crater.



(57)



At an altitude of about 1.8 km, Curiosity separated from its shell.



After 345 seconds, the rover dropped from the shell and a powered descent stage brought it closer to the surface.

When Curiosity was just 20 meters above the ground, the 'skycrane' system gently lowered the rover to a soft landing.

By pointing the skycrane's jets outward, the landing site was protected from any contamination from their exhaust.




Finally, the powered descent module flew away, leaving Curiosity on a pristine site inside Gale Crater.


Gale Crater was chosen as a landing site because it has a huge mound in the center of layered materials deposited over time. At the bottom of the layers are clay minerals. On top of the clay are layers containing sulfate minerals that are known to form in water.

As Curiosity carefully worked its way up the mound, layer by layer, it collected data about what Mars' environment was like in the past, how it changed with time...

... and whether or not the red planet could have supported life.




All of Curiosity's instruments play a role in finding targets for research and collecting data.




First, Curiosity's camera 'eyes' (MastCam)...

...are on the lookout for interesting features on the surface.



MastCam helps astrobiologists on Earth spot science targets on Mars.



Curiosity can then use its other remote instrument, ChemCam, to fire laser pulses at rock and soil samples...


...up to 7 meters away!




The energized atoms and ions blasted off the rock are then analyzed in order to determine the elements, such as oxygen and silicon, that are present in the sample.

If the target still seems interesting to astrobiologists, then it's time for Curiosity to use its drill and collect a sample!

Next up are the contact instruments.




Curiosity drives close and uses the MAHLI to take close-up pictures.




APXS then determines the sample's elemental chemistry, from major elements down to trace elements.

Curiosity's arm then transports the material to the rover's onboard analytical laboratory, SAM and CheMin.

The rock, dust and other materials are deposited in a special chamber and are moved inside the rover's body to be analyzed.




When the samples are processed and delivered to SAM, they are deposited and sealed in one of 74 sampling cups that rest inside a special oven.



SAM then cooks the samples and analyzes the gases that are released.

SAM is actually a suite of three different instruments, a Quadrupole Mass Spectrometer (QMS), a Gas Chromatograph (GC), and a Tunable Laser Spectrometer (TLS).




Each of these advanced scientific instruments has a turn analyzing the sample.


Together, they allow SAM to study chemistry and search for organic compounds.



Samples are also delivered to CheMin.




This mineralogy instrument determines what the rocks are.



CheMin studies how water may have affected the formation, deposition, or alteration of the minerals.

Together, SAM and CheMin are unlocking hidden secrets in the tiny particles of martian sand and dust.



It didn't take long for Curiosity to astonish astrobiologists.



The rover found rounded pebbles that were evidence of an ancient stream bed.

"At a minimum, the stream was flowing at a speed equivalent to a walking pace—and it was ankle-deep to hip-deep." (59)

One region, known as Yellowknife Bay, had all the trademarks of an environment that would have once been habitable for life as we know it.



"Our mission is turning a corner."

"We are beginning to map a way forward, a way to explore deliberately for organic matter." (60)

John Grotzinger (CalTech)



Rebecca Williams (The Planetary Science Institute)

On November 18, 2013, NASA launched the Mars Atmosphere and Volatile Evolution mission, or MAVEN.

MAVEN is using its instruments to investigate a planetary mystery.

When the inner planets first formed, Mars wasn't much different than Earth.


Scientists think Mars had a thick atmosphere and water at the surface.


"Where did the water go?!"

Early Mars could have been as habitable as the early Earth.

But then something happened...

...leaving Mars as the cold, desert world we know today.






A likely culprit for this transformation is the Sun.




Unlike Earth, Mars no longer has a powerful magnetic field to protect its atmosphere.




Radiation and solar wind gradually blasted much of the martian atmosphere away.

MAVEN is the first dedicated mission to study how atmospheres escape into space, and the data from Mars could also help astrobiologists understand Earth's atmosphere and habitability.




Curiosity is also helping MAVEN...



...by providing data from the surface of Mars.


The rover found heavy isotopes of gasses in the atmosphere, indicating that the lighter ones have indeed escaped to space over time.

This cooperation between MAVEN and Curiosity is just the beginning of the next phase in Mars exploration.



"We now believe that Mars preserves a record of habitable environments, some of which may be active today. Our next step will be to determine whether or not life ever started on Mars." (53)

Michael Meyer, lead scientist for NASA's Mars Exploration Program.



"With its sophisticated instruments, MSL is the first astrobiology mission since Viking." (61) (53)


"Considering how long the Spirit and Opportunity rovers have lasted beyond their design lifetimes, it almost boggles the mind to think how long MSL could last. It may be there to greet the astronauts when they arrive on Mars." (52)

In September of 2014, the Indian Space Research Organization's (ISRO) Mars Orbiter Mission (MOM) joined the team at Mars.



MOM collects thermal emissions from the surface during both day and night.

The first mission in the joint ESA/Roscosmos ExoMars\* program arrived in orbit in 2016.




The Trace Gas Orbiter (TGO) is studying gases in the atmosphere that are only present in small amounts.

TGO also tested European technology for a future landing on the surface.

\*Exobiology on Mars

Next up was the NASA lander, InSight\*\*, launched in 2018.




InSight set down on Mars to study the planet's deep interior.

The lander detected sizeable 'marsquakes,' and the measurements are helping scientists probe the interior of the planet. (62)

\*\*Interior Exploration using Seismic Investigations, Geodesy and Heat Transport


Studying the martian interior helps astrobiologists understand the processes that shape rocky planets.

In 2018, after an incredible 15 years and 45.16 km, Opportunity sent its last message home to Earth.




The MER mission was complete, but astrobiologists will be working with data from the twin rovers for decades to come.


When Spirit and Opportunity took their final bow, they left Mars a much busier place than when they first arrived.



As the MER mission drew to a close, robotic explorers continued to work on the planet and in orbit.



This team of adventurers has continued to grow as scientists develop new technologies for Mars missions.



When Curiosity touched down on Mars, NASA scientists were already designing and building new instruments.

One such instrument is the Mars Organic Molecule Analyzer (MOMA), to launch on the next European mission.

The second mission of the ESA/Roscosmos ExoMars programme is ExoMars 2022. This mission will deliver a stationary science platform and a rover that carries a powerful drill. The rover is named for a key figure in the history of astrophysics, Rosalind Franklin (See Issue 1).

Rosalind Franklin will use its drill to retrieve pristine samples from as deep as two meters below the martian surface.



NASA contributed to the mission by building the mass spectrometer and other components for the rover's MOMA instrument.

MOMA is central to the mission and will detect, identify, and quantify organic matter that might be present in samples.


Rosalind Franklin (1920-1958)

Rosalind Franklin is truly dedicated to astrophysics with its goal to determine if microbial life ever existed on Mars.

Background Image: Earth from Mars (63)




In 2020, more countries joined in Mars exploration for the first time: China and the United Arab Emirates (UAE).



The UAE's Hope Mars orbiter was designed to study weather on Mars and gather data about how and why Mars' climate has changed so dramatically through time.

China's Tianwen-1 delivered a rover and orbiter in one mission.


Among the rover's science instruments was a radar used to look for pockets of water beneath Mars' surface.





NASA's next trip to Mars was the Mars 2020 mission and its rover, dubbed Perseverance.

Perseverance is an advancement on the capabilities of Curiosity, with upgraded hardware and new instruments.



Scientists use data gathered by the rover at its landing site in Jezero crater to study the potential habitability of past environments.


Perseverance is also the first rover designed to seek possible signs of past Martian life.

For astrobiologists, the answers to questions about Mars' habitability are in Perseverance's 'hands.'

The rover can extend its arm and use the SHERLOC\* instrument in tandem with the WATSON\*\* camera to map minerals and organic molecules in detail.



Organic molecules are the carbon-based building blocks of life, but they are not necessarily made by biology...

...but, clumps of organics on certain parts of a rock could indicate life was once present.



\*Scanning Habitable Environments with Raman & Luminescence for Organics & Chemicals (SHERLOC)


\*\* Wide Angle Topographic Sensor for Operations and eNginneering (WATSON)




Mitch Schulte (NASA HQ), Mars 2020 Program Scientist.

The Sample Caching System drills into Mars rock to collect samples.

The arm then transfers samples to a 'bit carousel' in the rover's body.




The samples are moved through the rover's body and photos are taken.



Then the samples are sealed in the Sample Caching System.

Finally, samples are passed to the Sample Handling Arm in the rover's belly and stored.



The rover carries 43 sterile sample tubes in total.


This is the most complicated mechanism ever built for spaceflight, and was used by Perseverance to collect its first sample in September of 2021.

Perseverance has a total of 23 cameras and 7 science instruments. These tools will be used by many NASA scientists in addition to astrobiologists.


The mission is also testing technology that will pave the way for future missions, including a Mars Sample Return.

The rover will explore Jezero crater, filling its sample tubes with material from interesting spots.

Perseverance will not study everything it picks up. Some samples will remain sealed and the rover will deposit a 'cache' of these samples at a specific location...




... making it easier for a Mars Sample Return mission to come and collect them at a later date.




A Mars Sample Return could allow astrobiologists on Earth to examine pieces of present-day Mars up close...

...and perform many experiments that are not yet possible with robotic explorers.




The mission is also testing new technology like the lightweight Mars Helicopter, dubbed Ingenuity. It performed the first powered flight on another planet.



We have been systematically studying Mars for over 50 years, and are now getting to the point where we have the technology to really study Mars from an astrobiology perspective.

We've learned that Mars was habitable in the past, and we're now getting down to the microorganisms' level to see if there are traces that the planet had life in its past.



With a sample return, we could perform definitive studies by looking at aspects of samples that today's missions can't, like carbon isotope signatures and detailed organic matter searches.

With each new mission, Mars continues to be a major target for astrobiology research.

No one knows what the future of Mars exploration will bring...

...but for now, the planet is one of the most important locations beyond Earth for astrobiology.

# Astrobiology

## A History of Exobiology and Astrobiology at NASA

Further Resources and References cited in this issue:

1. The background on this page is an image of M72: A globular cluster of stars captured by the Hubble Space Telescope. M72 is about 50,000 light years away and can be seen with a small telescope pointed in the direction of the constellation Water Bearer (Aquarius). This image shows about 100,000 of M72's stars and spans about 50 light years. Credit: NASA, ESA
2. Harold P. Klein, NASA Ames Hall of Fame. NASA Ames History Archives. Available at: [https://history.arc.nasa.gov/hist\\_pdfs/bio\\_klein.pdf](https://history.arc.nasa.gov/hist_pdfs/bio_klein.pdf)
3. Strick, J.E. 2004. Creating a Cosmic Discipline: The Crystalization and Consolidation of Exobiology 1957-1973. *Journal of the History of Biology*, 37.
4. Dick, S.J., and Strick, J.E. 2005. *The Living Universe: NASA and the development of Astrobiology*. Rutgers University Press, New Brunswick, New Jersey, and London.
5. NASA. 1968. SP-4302 Adventures in Research: A History of Ames Research Center 1940-1965. NASA Ames History Archives. Available at: <https://history.arc.nasa.gov/adventures.htm>
6. Ezell, E.C. and Ezell, L.N. 1984. On Mars: Exploration of the Red Planet. 1958-1978. NASA SP-4212. Available at: <https://history.nasa.gov/SP-4212.pdf>
7. Ponnampertuma, C. 1964. The Origin of Life in the Universe. Exobiology Division, NASA Ames Research Center. Processings of the Space Science Education Conference, Los Angeles, CA. Accession Number N65-21478.
8. Bugos, Glenn E. 1999. *Atmosphere of Freedom—Sixty Years At The NASA Ames Research Center*. NASA SP-4314. p77-80.3.
9. Armagnac, A.P. (1962) Will Mariner solve these mysteries of Venus? *Popular Science*, Vol. 181, No. 6, 204p.
10. BBC News. 1962. 'Music of spheres' hails Venus fly-by. BBC News. Archive available at: [http://news.bbc.co.uk/onthisday/hi/dates/stories/december/14/newsid\\_4061000/4061955.stm](http://news.bbc.co.uk/onthisday/hi/dates/stories/december/14/newsid_4061000/4061955.stm)
11. Mariner 4 image, the first close-up image ever taken of Mars. The image is centered at 37°N, 187°W and is roughly 330 kilometers (km) by 1200 km. The resolution is roughly 5 km and north is up. Available from the NASA image archive at: [http://nssdc.gsfc.nasa.gov/imgcat/html/object\\_page/m04\\_01d.html](http://nssdc.gsfc.nasa.gov/imgcat/html/object_page/m04_01d.html)
12. Mariner 4 image, the first image to clearly show unambiguous craters on the surface of Mars. The area is roughly 262 km by 310 km and shows the region south of *Amzazonis Planitia* at 14°S, 174°W. North is at roughly 11:00 in this image. Credit: NASA
13. This image of Venus was actually acquired by Mariner 10 during its flyby of the planet. Mariner 5 was built as a backup to the successful Mariner 4 mission, and its TV camera was removed when the craft was adapted for travel to Venus. Instead of photographing Venus, Mariner 5 probed the planet's atmosphere with its suite of instruments. Credit: NASA/JPL
14. The cratered surface of Mars taken by Mariner 6. Image Credit: NASA/JPL
15. Mariner 7 had its closest approach to Mars at a distance of 3,524 km on July 31, 1969; after Mariner 6's flyby. Image Credit: NASA/JPL
16. Mariner 9 view of the "labyrinth" at the western end of Vallis Marineris on Mars. Linear graben, grooves, and crater chains dominate this region, along with a number of flat-topped mesas. The image is roughly 400 km across, centered

- at 6oS, 105oW, at the edge of the Tharsis bulge. North is up.  
(Mariner 9, MTVS 4187-45). Credit: NASA/JPL
17. Mariner 9 image of the north polar cap of Mars. The image was taken on October 12, 1972, about one-half martian month after summer solstice. At this time, the cap had reached its minimal extent. The cap is about 1000 km across. The interior dark markings are frost-free, sun-facing slopes. A smooth-layered sedimentary deposit underlies the cap. The image is centered at 89oN, 200oW. (Mariner 9, MTVS 4297-47). Credit: NASA/JPL
  18. Mariner 10 oblique view of Wren crater and surroundings on Mercury. Wren crater is barely visible at the lower center of the image, containing a number of craters within its 215 km diameter floor. Running along the right side of the image is Antoniadi Dorsum. North is at 1:00. (Mariner 10, Atlas of Mercury, Fig. 2-10) (edge of planet). Credit: NASA
  19. Mariner 10 image of Brahms Crater, Mercury. This image of the 75 km diameter crater was taken on the first flyby. Note the central peak. North is up.  
(Mariner 10, Atlas of Mercury, Fig. 3-2). Credit: NASA
  20. Other missions in the Soviet Mars series were unsuccessful, including the lander attempt of Mars 7.
  21. Horowitz, N.H. 1966. The Search for Extraterrestrial Life. *Science* 151(3712), 789-792.
  22. Dr. Thomas Mutch speaking to BBC News. Available at: [http://news.bbc.co.uk/onthisday/hi/dates/stories/july/20/newsid\\_2515000/2515447.stm](http://news.bbc.co.uk/onthisday/hi/dates/stories/july/20/newsid_2515000/2515447.stm)
  23. The first image transmitted by the Viking 1 Lander from the surface of Mars on July 20, 1976. Credit: NASA Viking Image Archive
  24. Post-Viking Biological Investigations of Mars. 1977. Committee on Planetary Biology and Chemical Evolution, Space Science Board, Assembly of Mathematical and Physical Sciences, National Research Council.
  25. Viking 1 Camera 1 Mosaic of Chryse Planitia.  
Credit: NASA Viking Image Archive
  26. Light Deposits Indicate Water Flowing on Mars. This figure shows MGS images of the southeast wall of the unnamed crater in the Centauri Montes region, as it appeared in August 1999, and later in September 2005. No light-toned deposit was present in August 1999, but appeared by February 2004. Credit: NASA/JPL/Malin Space Science Systems
  27. Astrobiology Magazine ([www.astrobio.net](http://www.astrobio.net)), "Astrobiology Top 10: Water Flows on Mars." Available at: [http://www.astrobio.net/index.php?option=com\\_retrospection&task=detail&id=2200](http://www.astrobio.net/index.php?option=com_retrospection&task=detail&id=2200)
  28. Astrobiology Magazine ([www.astrobio.net](http://www.astrobio.net)), "Five Year Retrospective: Mars Pathfinder, Interview with Pathfinder Project Scientist, Matt Golombek." Available at: <http://www.astrobio.net/interview/282/five-year-retrospective-mars-pathfinder>
  29. A false-color mosaic focuses on one junction in Noctis Labyrinthus where canyons meet to form a depression 4,000 meters (13,000 feet) deep. Dust (blue tints) lies on the upper surfaces and rockier material (warmer colors) lies below. The pictures used to create this mosaic image were taken from April 2003 to September 2005 by the Thermal Emission Imaging System instrument on NASA's Mars Odyssey orbiter. Credit: NASA/JPL-Caltech/ASU
  30. Fans and ribbons of dark sand dunes creep across the floor of Bunge Crater in response to winds blowing from the direction at the top of the picture. This image was taken in January 2006 by the Thermal Emission Imaging System (THEMIS) instrument on NASA's Mars Odyssey orbiter. The pictured location on Mars is 33.8 degrees south latitude, 311.4 degrees east longitude.

Credit: NASA/JPL-Caltech/ASU

31. This three-frame image shows a region in the southern highlands of Mars where Mars Odyssey found evidence of chloride salt deposits. These deposits could point to places where water was once abundant, then evaporated, leaving the minerals behind. These images of the region were actually taken on March 30, 2007, by the High Resolution Imaging Science Experiment (HiRISE) camera on NASA's Mars Reconnaissance Orbiter. Credit: NASA/JPL-Caltech/ University of Arizona/Arizona State University/University of Hawaii
32. European Space Agency. "Europe reclaims a stake in Mars exploration." Available at: [http://www.esa.int/SPECIALS/Mars\\_Express/SEMKR55V9ED\\_0.html](http://www.esa.int/SPECIALS/Mars_Express/SEMKR55V9ED_0.html)
33. Matsos, Helen. 2004. "Interview with Beagle 2 Scientist Colin Pillinger." Available at: <http://www.astrobio.net/interview/interview-with-beagle-2-scientist>
34. Astrobiology Magazine [www.astrobio.net]. "Sounding Out Mars: an interview with Jeffrey Plaut." Available at: <http://www.astrobio.net/interview/1464/sounding-out-mars>
35. Image taken by the Mars Express High Resolution Stereo Camera (HRSC) showing water ice on the floor of a crater near the Martian north pole. Credit: ESA/DLR/FU Berlin (G. Neukum)
36. Beagle 2 Landing site in *Isidis Planitia*. MOC2-835a: Beagle 2 December 25, 2003, landing ellipse. Credit: Mars Global Surveyor Mars Orbital Camera Image.
37. This photo, taken by NASA's Opportunity rover, shows Mars' thin, diffuse clouds. Credit: NASA/JPL-Caltech
38. Mars Reconnaissance Orbiter Mission Pages: Science Goals. Available at: [http://www.nasa.gov/mission\\_pages/MRO/mission/science-goals.html](http://www.nasa.gov/mission_pages/MRO/mission/science-goals.html)
39. Astrobiology Magazine. 2006. "Astrobiology Top 10: MGS Bows Out." Available at: [http://www.astrobio.net/index.php?option=com\\_retrospection&task=detail&id=2191](http://www.astrobio.net/index.php?option=com_retrospection&task=detail&id=2191)
40. Astrobiology Magazine (www.astrobio.net), "MGS Over and Out." Available at: <http://www.astrobio.net/pressrelease/2152/mgs-over-and-out>
41. Details in a fan-shaped deposit discovered by NASA's Mars Global Surveyor. Credit: NASA/JPL/Malin Space Science Systems
42. This is a shaded relief image derived from Mars Orbiter Laser Altimeter data, which flew onboard the Mars Global Surveyor. The image shows Olympus Mons and the three Tharsis Montes volcanoes: Arsia Mons, Pavonis Mons, and Ascraeus Mons from southwest to northeast. Credit: NASA
43. University of Arizona. Phoenix Mars Mission. Available at: <http://phoenix.lpl.arizona.edu/mission.php>
44. This image, one of the first captured by NASA's Phoenix Mars Lander, shows the vast plains of the northern polar region of Mars. The flat landscape is strewn with tiny pebbles and shows polygonal cracking, a pattern seen widely in Martian high latitudes and also observed in permafrost terrains on Earth. Credit: NASA/JPL-Caltech/University of Arizona
45. Images from the Surface Stereo Imager camera on NASA's Phoenix Mars Lander shows several trenches dug by Phoenix. Credit: NASA/JPL-Caltech/ University of Arizona/Texas A&M University
46. Astrobiology Magazine. 2009. "Astrobiology Top 10: Too Salty to Freeze." Available at: <http://www.astrobio.net/topic/solar-system/mars/astrobiology-top-10-too-salty-to-freeze>
47. This HiRISE image shows the Phoenix lander after one year on Mars. The image is a close match to the season and illumination and viewing angles of some of the first HiRISE images acquired after the successful landing on May 25, 2008. The shadow that is cast by the lander is different than the previous year, indicating that Phoenix has suffered structural damage. Image Title: "Phoenix Lander after One Mars Year (ESP\_017716\_2485)." Credit: NASA/JPL/ University of Arizona

48. This image taken by the HiRISE instrument onboard the Mars Reconnaissance Orbiter shows the Phoenix lander in 2008 after landing and deployment of the solar panels. Image Title: "Phoenix Lander Hardware: EDL +22 (PSP\_008591\_2485)." Credit: NASA/JPL/University of Arizona
49. Astrobiology Magazine. 2010. "Astrobiology Top 10: Viking Results Revisited." Available at: <https://www.astrobio.net/retrospections/astrobiology-top-10-viking-results-revisited/>
50. Astrobiology Magazine. 2010. "Phoenix Crushed by Frost." Available at: <http://www.astrobio.net/topic/solar-system/mars/phoenix-crushed-by-frost>
51. NASA JPL. Mars Science Laboratory. Available at: <http://marsprogram.jpl.nasa.gov/msl>
52. Astrobiology Magazine. 2006. "Managing Mars Missions." Available at: <http://www.astrobio.net/topic/solar-system/mars/managing-mars-missions>
53. Meyer, Michael. 2009. "The MSL Science Story." Special Planetary Science Subcommittee Meeting, Mars Exploration Program Analysis Group, January 9, 2009, at NASA HQ.
54. NASA. 2009. NASA Selects Student's Entry as New Mars Rover Name. NASA Jet Propulsion Laboratory. Available at: [https://www.nasa.gov/mission\\_pages/msl/msl-20090527.html](https://www.nasa.gov/mission_pages/msl/msl-20090527.html)
55. Ma, Clara. 2009. "Curiosity." Essay written by Clara Ma, winner of the Mars Science Laboratory naming contest. Twelve-year-old Ma submitted the winning entry, "Curiosity." NASA Jet Propulsion Laboratory. Available at: [http://www.nasa.gov/mission\\_pages/msl/essay-20090527.html](http://www.nasa.gov/mission_pages/msl/essay-20090527.html)
56. Schmid, D. Southwest Research Institute. 2012. Radiation En Route to Mars. Astrobiology Magazine. Available at: <http://www.astrobio.net/topic/exploration/moon-to-mars/radiation-en-route-to-mars>
57. NASA. 2012. Daybreak at Gale Crater. NASA Multimedia Gallery. This computer-generated view depicts part of Mars at the boundary between darkness and daylight, with an area including Gale Crater beginning to catch morning light. Northward is to the left. Gale is the crater with a mound inside it near the center of the image. Credit: NASA/JPL-Caltech. Available at: [http://www.nasa.gov/mission\\_pages/msl/multimedia/gallery/pia14293.html](http://www.nasa.gov/mission_pages/msl/multimedia/gallery/pia14293.html)
58. NASA. 2012. Destination for Mars Rover Curiosity. NASA Multimedia Gallery. This image shows the target landing area for Curiosity, the rover of NASA's Mars Science Laboratory mission. The target is near the foot of a mountain inside Gale Crater. Curiosity's probability of landing within the ellipse was outlined in black in this image. The ellipse is 20 kilometers (km) by 25 km. The blue line shows one possible route the rover could've taken. Credit: NASA/JPL-Caltech/ESA/DLR/FU Berlin/ MSSS. Available at: [http://www.nasa.gov/mission\\_pages/msl/multimedia/pia15293.html](http://www.nasa.gov/mission_pages/msl/multimedia/pia15293.html)
59. NASA JPL (2013) Pebbly Rocks Testify to Old Streambed on Mars. Available at: [http://www.nasa.gov/mission\\_pages/msl/news/msl20130530f.html#.U0wiEcfc3Cn](http://www.nasa.gov/mission_pages/msl/news/msl20130530f.html#.U0wiEcfc3Cn)
60. Kerr, R.A. 2014. "New Results Send Mars Rover on a Quest for Ancient Life." ScienceNow. AAAs. Available at: <https://www.sciencemag.org/news/2013/12/new-results-send-mars-rover-quest-ancient-life>
61. NASA. "MAVEN: Answers About Mars Climate History." Available at: [http://www.nasa.gov/mission\\_pages/maven/overview/index.html](http://www.nasa.gov/mission_pages/maven/overview/index.html)
62. Clinton, J.F. et al. 2021. "The Marsquake catalogue from InSight, sols 0–478." Physics of the Earth and Planetary Interiors, 310. DOI: 10.1016/j.pepi.2020.106595
63. NASA/JPL-Caltech/MSSS/TAMU (2017) PIA17936. 'Evening Star' Seen from Mars is Earth. <https://www.nasa.gov/jpl/msl/earth-view-from-mars-pia17936>

